## VISDAMAX (M) SDN. BHD.



## QUESTIONNAIRE FOR K.D.

1. To be installed	State				Country		
2. Number of K.D. required	a) b)	Nett Capacity (cu.m.)		Quantity (unit)			
	c)						
3. Type of K.D.	Type (Please tick "V" where applicable)			pacities m³	U	nits	
	For	k Lift		a) b)			
	Sins	gle Track		5)			
		ıble Track					
4. Species of timbers to be dried							
5. Maximum operating temperature			°C				
6. Maximum air velocity through timber stack		ı	M/secor	nd			
7. Initial & final moisture content	Initia Final	1		% %			
8. Length of timbers to be dried			mm				
9. Width of timbers to be dried			mm				
10. Thickness of timbers to be dried			mm				
11. Timber pack sizes		L		W		Н	mm

## VISDAMAX (M) SDN. BHD.



## QUESTIONNAIRE FOR K.D.

12. Preferred kiln controller					
(Please tick " $$ " where applicable)	Semi-Automatic				
	Fully-Automatic & On/Off				
	Fully-Automatic & Modulating				
	Other requirements - please specify below				
12. Duefermed beeting medicus					
13. Preferred heating medium	Steam				
(Please tick " $$ " where applicable)	Hot Water				
	Thermal Oil				
14. Kiln chamber	Prefabricated chamber				
(Please tick " $$ " where applicable)	Own erection of masonry chamber				
45 Co.: 15th col: 1					
15. Strip/fillet thickness	mm				
16. Dunnage thickness	mm				
-					
<ol> <li>Budgetted annual volume to dry each thickness</li> </ol>	Thickness Volume p.a.				
each thickness	mm m³ or ton				
	mm m³ or ton				
	mm m³ or ton				
	IIIII III III III III III III III III				
18. New set up or expansion of	New				
existing drying facility	Extension				
(Please tick " $$ " where applicable)					

<b>VISDAMAX</b>	M	SDN.	BHD.
	ш	,	

ſ	
ľ	V
ı	DM
l	

19.	Other additional relevant
	information